SUBJECT INDEX

Aging, p. 178
Angle-ply laminates, p. 505
Annular plates, p. 392
Automotive Composites, p. 100
Bearing stresses, p. 138
Bending-twisting coupling, p. 459
Bond failure, p. 533
Braiding, p. 476
Buckling, pp. 2, 67
Chopped fibers, p. 194
Clamped joints, evaluation, p. 376
Coated fiber composite, p. 554
Compliance calibration, p. 154
Composite laminate, pp. 2, 51, 408, 490
Composite plates, p. 100
Composite materials, p. 154, 250, 355, 476, 544
Compression, p. 67
Compressive stability, p. 296
Crack, p. 51
Crack direction, p. 544
Creep rate, p. 525
Crimp ratio, p. 443
DCB specimen, p. 154
Damage, pp. 51, 355
Damage growth, p. 100
Damage mechanics, p. 216
Delamination, pp. 2, 51
Delamination crack, p. 296
Delamination fracture mechanics, p. 296
Delamination growth, p. 317
Delamination location, p. 317
Delamination stability, p. 317
Design, p. 476
Dynamic, p. 269
Effective modulus, p. 287
Elastic beam theory, p. 235
Elastic moduli, p. 443
Elliptic delamination, p. 67
End effects, p. 235
Fabric composites, p. 443
Failure, pp. 114, 408
Failure, clamped joints, p. 376
Failure envelope, p. 525
Fatigue, p. 250
Fiber dominated failure, p. 505
Fiber-matrix bond, p. 276
Fiber-splits, p. 114
Fiberglass composites, p. 235
Finite difference, p. 408
Finite-element, pp. 2, 408, 490, 544
Finite element stability analysis, p. 296
First ply failure, p. 29
Fractional fringe, p. 513
Fracture, pp. 29, 67, 533, 544
Free volume, p. 178
Graphite/epoxy, pp. 178, 376
Growth, p. 67
Heat transfer, p. 408
High-intensity heating, p. 408
Hoop wound tube, p. 525
Hybrid composites, p. 287
Hybrid effect, p. 334
Image analysis, p. 513
Impact, pp. 51, 100, 490
In situ strength, p. 29
Indentation, p. 490
Initial stress, p. 490
Interfacial failure, p. 276
Interfacial shear yield stress, p. 276
Interlaminar fracture toughness, p. 154
Intraply hybrids, p. 334
J-integral, p. 154
Kevlar/epoxy, p. 533
Laminate design, p. 29
Laminated beam finite element, p. 459
Laminates, p. 355
Laminates stress state, p. 505
Lap joints, p. 376
Loading path effect, p. 525
Local and global buckling, p. 317
Matrix fracture, p. 525
Maximum stress criterion, p. 505
Mechanical test, p. 476
Mechanisms, p. 114
Microcomputer, p. 459
Micromechanics, p. 533
Microvoid, p. 114
Mode I crack growth, p. 154
Modeling and analysis, p. 296
Moire, p. 513
Molecular relaxations, p. 178
Monte carlo simulation, p. 334
Multiaxial loading, p. 525
Multiaxial test rig, p. 525
Multiple delaminations, p. 317

SUBJECT INDEX

Aging, p. 178
Angle-ply laminates, p. 505
Annular plates, p. 392
Automotive Composites, p. 100
Bearing stresses, p. 138
Bending-twisting coupling, p. 459
Bond failure, p. 533
Braiding, p. 476
Buckling, pp. 2, 67
Chopped fibers, p. 194
Clamped joints, evaluation, p. 376
Coated fiber composite, p. 554
Compliance calibration, p. 154
Composite laminate, pp. 2, 51, 408, 490
Composite plates, p. 100
Composite materials, p. 154, 250, 355, 476, 544
Compression, p. 67
Compressive stability, p. 296
Crack, p. 51
Crack direction, p. 544
Creep rate, p. 525
Crimp ratio, p. 443
DCB specimen, p. 154
Damage, pp. 51, 355
Damage growth, p. 100
Damage mechanics, p. 216
Delamination, pp. 2, 51
Delamination crack, p. 296
Delamination fracture mechanics, p. 296
Delamination growth, p. 317
Delamination location, p. 317
Delamination stability, p. 317
Design, p. 476
Dynamic, p. 269
Effective modulus, p. 287
Elastic beam theory, p. 235
Elastic moduli, p. 443
Elliptic delamination, p. 67
End effects, p. 235
Fabric composites, p. 443
Failure, pp. 114, 408
Failure, clamped joints, p. 376
Failure envelope, p. 525
Fatigue, p. 250
Fiber dominated failure, p. 505
Fiber-matrix bond, p. 276
Fiber-splits, p. 114
Fiberglass composites, p. 235
Finite difference, p. 408
Finite-element, pp. 2, 408, 490, 544
Finite element stability analysis, p. 296
First ply failure, p. 29
Fractional fringe, p. 513
Fracture, pp. 29, 67, 533, 544
Free volume, p. 178
Graphite/epoxy, pp. 178, 376
Growth, p. 67
Heat transfer, p. 408
High-intensity heating, p. 408
Hoop wound tube, p. 525
Hybrid composites, p. 287
Hybrid effect, p. 334
Image analysis, p. 513
Impact, pp. 51, 100, 490
In situ strength, p. 29
Indentation, p. 490
Initial stress, p. 490
Interfacial failure, p. 276
Interfacial shear yield stress, p. 276
Interlaminar fracture toughness, p. 154
Intraply hybrids, p. 334
J-integral, p. 154
Kevlar/epoxy, p. 533
Laminate design, p. 29
Laminated beam finite element, p. 459
Laminates, p. 355
Laminates stress state, p. 505
Lap joints, p. 376
Loading path effect, p. 525
Local and global buckling, p. 317
Matrix fracture, p. 525
Maximum stress criterion, p. 505
Mechanical test, p. 476
Mechanisms, p. 114
Microcomputer, p. 459
Micromechanics, p. 533
Microvoid, p. 114
Mode I crack growth, p. 154
Modeling and analysis, p. 296
Moire, p. 513
Molecular relaxations, p. 178
Monte carlo simulation, p. 334
Multiaxial loading, p. 525
Multiaxial test rig, p. 525
Multiple delaminations, p. 317

Net-section stresses, p. 138
Non-destructive evaluation, p. 250
Normal-shear coupling, p. 505
Notched strength, p. 19
Off-axis laminates, p. 505
Off-axis moduli, p. 443
Off-axis test, p. 19
Orthotropic, pp. 67, 392
Orthotropic material, p. 424
Orthotropic photoelasticity, p. 138
Particulate, p. 287
Phenol-formaldehyde, p. 579
Pin joint, p. 476
Pin loaded plates, p. 138
Ply cracking, p. 216
Ply quantity, p. 443
Polymer composites, p. 579
Postbuckling, p. 392
Random short-fiber composites, pp. 296, 317
Rayleigh-ritz, p. 2
Rayleigh-ritz buckling analysis, p. 296
Rectangular slab, p. 424
Reinforcement, p. 250
Reliability, p. 19
Rheology, p. 194
Residual stiffness, p. 100
Residual strength, p. 100
Saxs, p. 114
Shear deformation, p. 459
Shear-lag, p. 533
Shear-lag analysis, p. 269
Shear-out stresses, p. 138
Shear viscosity, p. 194
Sheet molding compounds, p. 100
Splitting, p. 276
Statistical model, p. 334
Stiffness reduction, p. 355
Strain energy release rate, p. 154
Stress analysis, p. 235
Stress concentration, pp. 19, 138, 269, 533
Stress field, p. 554
Sublaminate, p. 2
Suspension, p. 194
Tapered plates, p. 392
Temperature field, p. 424
Tensile failure, p. 505
Tensile matrix failure, p. 29
Tension-buckling, p. 2
Thermal stress, pp. 408, 424
Thermo-mechanical loading, p. 554
Thermoelastic properties, p. 216
Thin plates, p. 392
Transient effect, p. 424
Transverse cracking, p. 355
Unidirectional, p. 544
Unidirection composites, p. 269
Weibull C. D. F., p. 334

AUTHOR INDEX

Babcock, C. D., p. 67
Brookstein, D. S., p. 476
Buczek, M. B., p. 544
Burger, C. P., p. 513
Chai, H., p. 67
Chang, C. I., p. 408
Chaturvedi, S. K., p. 100
Chen, A. T., p. 459
Chen, J. K., pp. 408, 490
Choo, V. K. S., p. 525
Chou, T. W., pp. 269, 424, 443
Dumir, P. C., p. 392
Dvorak, G. L., p. 216
Fariborz, S. J., p. 334
Fellers, J. F., p. 114
Flaggs, D. L., p. 19
Ganani, E., p. 194
Gerstle, F. P., Jr., p. 505
Gruber, J. J., p. 250
Harlow, D. G., p. 334
Hayashi, Y., p. 443
Hejazi, M., p. 216
Henderson, J. B., p. 579
Herakovich, C. T., p. 544
Hu, M. Z., p. 235
Hyer, M. W., p. 138
Ilcewicz, L. B., p. 154
Ishikawa, T., p. 443
Ji, X., p. 269
Joshi, S. P., p. 51
Keary, P. E., p. 154
Khatri, K. N., p. 392

Kolsky, H., p. 235
Laws, N., p. 216
Lee, J. S., p. 114
Lin, J. S., p. 114
Liu, D., p. 138
Liu, X., p. 269
Matsushima, M., p. 443
Mijovic, J., p. 178
Mikata, Y., p. 554
Newaz, G. M., p. 276
Nomura, S., p. 287
Nunes, J., p. 250
Oshima, N., p. 287
Pipkin, A. C., p. 235
Powell, R. L., p. 194
Reedy, E. D., Jr., pp. 505, 533
Roberts, J. C., p. 376
Rowlands, R. E., p. 513
Shaar, C., p. 154
Shivakumar, K. N., p. 2
Sierakowski, R. L., p. 100
Suemasu, H., pp. 296, 317
Sun, C. T., pp. 51, 408, 490
Talreja, R., p. 355
Tang, M. Y., p. 114
Tant, M. R., p. 579
Taya, M., p. 554
Trostle, J., p. 154
Tsangarakis, N., p. 250
Tsiang, T. H., p. 476
Voloshin, A. S., p. 513
Wang, H. S., p. 424
Wang, S. S., pp. 296, 317
Wetherhold, R. C., p. 19
Whitcomb, J. D., p. 2
Wiebelt, J. A., p. 579
Yang, C. L., p. 334
Yang, T. Y., p. 459
Zahlan, N. M., pp. 296, 317

Vol. 19, pp. 1–98

CONTENTS

JANUARY 1985

2 **K. N. Shivakumar and J. D. Whitcomb**

Buckling of a Sublaminate in a Quasi-Isotropic Composite Laminate

19 **Robert C. Wetherhold**

The Effect of Stress Concentration on the Reliability of Composite Materials

29 **D. L. Flaggs**

Prediction of Tensile Matrix Failure in Composite Laminates

51 **S. P. Joshi and C. T. Sun**

Impact Induced Fracture in a Laminated Composite

67 **Herzl Chai and Charles D. Babcock**

Two-Dimensional Modelling of Compressive Failure in Delaminated Laminates

Vol. 19, pp. 99–192

CONTENTS

MARCH 1985

100 **Shive K. Chaturvedi and Robert L. Sierakowski**

Effects of Impactor Size on Impact Damage-Growth and Residual Properties in an SMC-R50 Composite

114 **J. S. Lee, J. F. Fellers, M. Y. Tang and J. S. Lin**

A Dynamic Small Angle X-Ray Scattering Study of Stressed Kevlar® 49/Epoxy Composites

138 **M. W. Hyer and D. Liu**

Stresses in Pin-Loaded Orthotropic Plates: Photoelastic Results

154 **Paul E. Keary, Larry B. Ilcewicz, Casey Shaar and Jess Trostle**

Mode I Interlaminar Fracture Toughness of Composites Using Slender Double Cantilevered Beam Specimens

178 **Jovan Mijović**

Interplay of Physical and Chemical Aging in Graphite/Epoxy Composites

Vol. 19, pp. 193–293

CONTENTS

MAY 1985

194 **E. Ganani and R. L. Powell**

Suspensions of Rodlike Particles: Literature Review and Data Correlations

216 **George J. Dvorak, Norman Laws and Mehdi Hejazi**

Analysis of Progressive Matrix Cracking in Composite Laminates I. Thermoelastic Properties of a Ply with Cracks

235 **M. Z. Hu, H. Kolsky and A. C. Pipkin**

Bending Theory for Fiber-Reinforced Beams

250 **N. Tsangarakis, J. J. Gruber and J. Nunes**

Non-Destructive Evaluation of Fatigue Damage in Alumina Fiber Reinforced Aluminum

269 **Xing Ji, Xi-Rui Liu and Tsu-Wei Chou**

Dynamic Stress Concentration Factors in Unidirectional Composites

276 **Golam M. Newaz**

On Interfacial Failure in Notched Unidirectional Glass/Epoxy Composites

287 **N. Oshima and S. Nomura**

A Method to Calculate Effective Modulus of Hybrid Composite Materials

Vol. 19, pp. 295–389

CONTENTS

JULY 1985

296 **S. S. Wang, N. M. Zahlan and H. Suemasu**

Compressive Stability of Delaminated Random Short-Fiber Composites, Part I—Modeling and Methods of Analysis

317 **S. S. Wang, N. M. Zahlan and H. Suemasu**

Compressive Stability of Delaminated Random Short-Fiber Composites, Part II—Experimental and Analytical Results

334 **S. J. Fariborz, C. L. Yang and D. G. Harlow**

The Tensile Behavior of Intraply Hybrid Composites I: Model and Simulation

355 **Ramesh Talreja**

Transverse Cracking and Stiffness Reduction in Composite Laminates

376 **Jack C. Roberts**

Evaluation of a Double Lap Composite Clamped Joint

Vol. 19, pp. 391–487

CONTENTS

SEPTEMBER 1985

392 P. C. Dumir and K. N. Khatri

Axisymmetric Postbuckling of Orthotropic Thin Tapered Annular Plates

408 J. K. Chen, C. T. Sun and C. I. Chang

Failure Analysis of a Graphite/Epoxy Laminate Subjected to Combined Thermal and Mechanical Loading

424 Hong-Sheng Wang and Tsu-Wei Chou

Transient Thermal Stress Analysis of a Rectangular Orthotropic Slab

443 Takashi Ishikawa, Masamichi Matsushima, Youichi Hayashi and Tsu-Wei Chou

Experimental Confirmation of the Theory of Elastic Moduli of Fabric Composites

459 Alex T. Chen and T. Y. Yang

Static and Dynamic Formulation of a Symmetrically Laminated Beam Finite Element for a Microcomputer

476 David S. Brookstein and Tseng-Hua Tsiang

Load-Deformation Behavior of Composite Cylinders with Integrally-Formed Braided and with Machined Circular Holes

Vol. 19, pp. 489–598

CONTENTS

NOVEMBER 1985

490 **C. T. Sun and J. K. Chen**

On the Impact of Initially Stressed Composite Laminates

505 **F. P. Gerstle, Jr. and E. D. Reedy, Jr.**

On the Application of the Maximum Stress Failure Criterion to Off-Axis and Angle-Ply Laminates

513 **Arkady S. Voloshin, Christian P. Burger and Robert E. Rowlands**

Composites Analysis by Fractional Moire Fringe System

525 **Vincent K. S. Choo**

Effect of Loading Path on the Failure of Fibre Reinforced Composite Tubes

533 **E. D. Reedy, Jr.**

Fiber Stress Concentrations in Kevlar/Epoxy Monolayers

544 **M. B. Buczek and C. T. Herakovich**

A Normal Stress Criterion for Crack Extension Direction in Orthotropic Composite Materials

554 **Yozo Mikata and Minoru Taya**

Stress Field in a Coated Continuous Fiber Composite Subjected to Thermo-Mechanical Loadings

579 **J. B. Henderson, J. A. Wiebelt and M. R. Tant**

A Model for the Thermal Response of Polymer Composite Materials with Experimental Verification

596 **Subject Index**
Author Index